



## A STUDY ON CUSTOMER PERCEPTION ON THE ADOPTION OF RENEWABLE ENERGY RESOURCES AMONG HOUSEHOLDS

S. Mahalingam\* V. Vinoth Balaji\*\*

\*HOD, Department of Management Studies, CK College of Engineering & Technology, Cuddalore.

\*\*Assistant Professor, Department of Management Studies, CK College of Engineering & Technology, Cuddalore.

### Abstract

The world energy demand is expected to increase by 35 percent by 2030 from 2005 levels. This increase in demand is driven predominantly by growing population and economic growth in developing countries, even with substantial efficiency gains in all regions. The potential of renewable energy sources is enormous as they can in principle meet many times the world's energy demand. Renewable energy sources such as biomass, wind, solar, hydropower, and geothermal can provide sustainable energy services, based on the use of routinely available, indigenous resources (Antonia V. Herzog). TAM, a widely used model in management of information systems The goal of TAM was to offer a parsimonious explanation of the determinants of adoption that would be general enough for application to usage behavior across a wide range of technology innovations (Davis, Bagozzi, &Warshaw, 1989) These factors are identified through previous research and each one measured based on 5- point interval scale. Using primary data collection method, 90 questionnaires were distributed to respondents who have adopted renewable energy resources among households. The study made use of measures and these measures were factor analyzed into 2 constructs such as Perceived Usefulness and Perceived Ease of Use on adoption. A Regression model was formed by taking degree of adoption of renewable energy resources as dependent variable and Perceived Usefulness and Perceived Ease of Use as independent variables. It is found from the analysis that the degree of adoption significantly depends on the factors influencing the adoption of Renewable Energy Resources..

**Key words:** Degree of Adoption of RER, Perceived Usefulness, Perceived Ease of Use.

### Introduction

Booming economic growth, rapid industrialization and high standard of living of the global population demand more and more energy in different forms. since the quality of available energy from conventional resources is depleting day by day development of newer or renewable energy technologies become necessary to meet the energy demand in the future.. There is a need to think globally but act locally. "Renewable energy refers to energy generated from naturally replenish able energy sources. The main types of RERs include hydro- power, bio energy (biomass and bio fuels), solar, wind, geothermal and ocean energy" (ESMAP, 2007; REN 21, 2010).Using renewable energy is better for the humanity, because they produce few pollutants, if any. These resources are also called 'clean' or 'green' as it does not produce any pollutant harmful to the environment. These sources derive their energy from the nature, either directly or indirectly and are expected to be capable of supplying humanity energy for almost another one billion years. "Renewable energy sources currently supply somewhere between 15 percent and 20 percent of world's total energy demand.. New renewable energy sources (solar energy, wind energy, modern bio-energy, geothermal energy, and small hydropower) are currently contributing about two percent (Kammen) . To evaluate the various factors that influence the adoption of renewable energy resources based on the framework suggested in the TAM theory.TAM theorized that an individual's behavioral intention to adopt a particular piece of technology is determined by the person's attitude toward the use of the technology. Attitude, inturn, is determined by two beliefs: perceived usefulness and perceived ease of use. (Davis, Bagozzi, &Warshaw, 1989). Perceived usefulness is



defined as the extent to which persons believe that technology will enhance their productivity or job performance (Davis, Bagozzi, & Warshaw, 1989).. A significant body of TAM research has shown that perceived usefulness is a strong determinant of user acceptance, adoption, and usage behavior (Davis,1989;Mathieson,1991;Taylor & Todd,1995).In TAM, perceived ease of use is defined as the extent to which a person believes that using a technology will be simple (Davis, Bagozzi, & Warshaw, 1989).It is a construct tied to an individual's assessment of the effort involved in learning and using a technology.

### Objectives

1. To evaluate the various factors that influence the adoption of renewable energy resources based on the framework suggested in the TAM theory.
2. To analyse the impact of TAM variables on the degree of adoption of renewable energy resources.

**Hypothesis:** Ho: The degree of adoption does not depend on Perceived Usefulness and Perceived Ease of Use.

### Methodology

The study was based on both primary and secondary data. The secondary data used in the study were collected from journals, books, magazines, websites and other publications. In order to collect primary data, direct interview method was used. Interviews were conducted using a structured Interview Schedule. Ninety households were selected using convenient sampling method from the towns of Kottayam district viz., Kanjirapally, Ponkunam, Pala, Kanjikuzhy, Changanasserry. The theoretical scope of the study aims at analyzing the adoption of renewable energy resources in terms of the following attributes: Perceived Usefulness, Perceived Ease of Use. The data collected were analyzed using appropriate statistical and mathematical tools like mean, standard deviation, and Regression using SPSS.

**Results and Discussion:** The classification of the respondents in terms of Gender, Age, Education level and Occupation are given in Table 1.

**Table 1: Profile of the Respondents**

| Variables     | Classification    | No. of Respondents | Percentage |
|---------------|-------------------|--------------------|------------|
| Age           | Upto 30           | 18                 | 20.0%      |
|               | 30-50             | 46                 | 51.1%      |
|               | 50 above          | 26                 | 28.9%      |
| Gender        | Male              | 58                 | 64.4%      |
|               | Female            | 32                 | 35.6%      |
| Qualification | High school       | 3                  | 3.3%       |
|               | Pre-degree or +2  | 26                 | 28.9%      |
|               | Degree            | 25                 | 27.8%      |
|               | P.G               | 20                 | 22.2%      |
|               | Others            | 16                 | 17.8%      |
| Occupation    | Planter           | 12                 | 13.3%      |
|               | Salaried Employee | 26                 | 28.9%      |
|               | Business          | 18                 | 20.0%      |
|               | Self-Employee     | 6                  | 6.7%       |
|               | Others            | 28                 | 31.3%      |

Source: Primary Data



Table 1 shows that 64.4% of the respondents are Males and 35.6% of the respondents are Females. 20% of the respondents belong to the age group upto 30. 51.1% of the respondents belong to the age group of 30-50. The rest of the respondents 28.9% fall in the age group of 50 above respectively. 28.9% of the respondents have Pre-Degree education level. 27.8% of them have Degree qualification. 22.2% of the respondents have P.G education level. 17.8% and 3.3% fall in the category of Others and High School respectively. 31.3% of the respondents belong to the group Others. 28.9% of the respondents are Salaried Employees. 20.0% of the respondents fall in the category of Business. 13.3% of the respondents belong to the group Farmer/ Planter. 6.7% of the respondents are Self- employed.

### Source of Renewable Energy Resource

There are different sources of renewable energy resources such as hydro power, solar, biogas and geothermal that are commonly used and practiced in the households of Kottayam. Table 2 shows the respondent's sources of renewable energy resources.

**Table 2: Adoption of Renewable Energy Resources**

| Sl.No | Sources     | Frequency | Percentage |
|-------|-------------|-----------|------------|
| 1.    | Hydro power | Nil       | Nil        |
| 2.    | Solar       | 76        | 84.4%      |
| 3.    | Biogas      | 14        | 15.6%      |
| 4.    | Geothermal  | Nil       | Nil        |

84.4% of the respondents use Solar and 15.6% of the respondents have adopted Biogas. None of the respondents have adopted Hydropower and Geothermal. Therefore the prominent renewable energy resources adopted are solar power and Biogas.

### Factors Influencing the Adoption of Renewable Energy Resources

The study measured the various factors influencing the adoption of renewable energy resources primarily drawing ideas from Technology Acceptance Model. The data were collected from ninety respondents and were analyzed using appropriate statistical tools like Mean and t- test.

### Perceived Usefulness

Perceived usefulness is defined as the extent to which persons believe that technology will enhance their productivity or job performance (Davis, Bagozzi, & Warshaw, 1989). To determine the perceived usefulness 7 variables were considered. Following are factors based on which customer's perceived usefulness is measured.

**Table 3: Perceived Usefulness**

| Variable Code | Description  | Mean | SD    |
|---------------|--|------|-------|
| PU1.          | RER's makes works easier                           | 3.96 | 0.748 |
| PU2.          | RER's are more efficient than non-RER's            | 3.93 | 0.897 |
| PU3.          | RER's are useful                                   | 4.03 | 0.741 |
| PU4.          | RER's improves performance of household activities | 3.76 | 0.852 |
| PU5.          | RER's increases convenience and productivity       | 3.79 | 0.757 |
| PU6.          | RER's improves the quality of work                 | 3.51 | 0.890 |
| PU7.          | RER's gives greater control over work              | 3.74 | 0.931 |



Table 3 shows the mean and standard deviation of factors influencing the adoption of RER's for perceived usefulness. The highest mean score is 4.03 for RER's are useful. The next highest mean score is 3.96 for RER's makes works easier followed by a score of 3.93 for RER's are more efficient than non-RER's. The lowest mean score is 3.51 for RER's improves the quality of work.

### Percieved Ease of Use

In TAM, perceived ease of use is defined as the extent to which a person believes that using a technology will be simple (Davis, Bagozzi,& Warshaw,1989).There were total of 9 variables. Based on the pilot survey 3 items were removed and the rest where retained. Following factors determine the customer's perceived ease of use:

**Table4: Perceived Ease of Use**

| Variable Code | Description                | Mean | SD    |
|---------------|----------------------------|------|-------|
| PEU1.         | RER's makes me skillful    | 3.79 | 0.814 |
| PEU2.         | RER's are easy to learn    | 3.92 | 0.877 |
| PEU4.         | RER's saves energy         | 4.01 | 0.930 |
| PEU5.         | RER's are user friendly    | 4.13 | 0.889 |
| PEU7.         | RER's are easy to remember | 3.58 | 0.936 |
| PEU9          | RER's are easy to use      | 3.74 | 0.829 |

Table 4 shows the mean and standard deviation of factors influencing the adoption of RER's in Perceived Ease of Use. The highest mean score is 4.13 for RER's are user friendly. The second highest mean score is 4.01 for RER's saves energy followed by a score of 3.92 for RER's are easy to learn. The lowest mean score is 3.58 for RER's are easy to remember.

### Reliability

In order to measure perceived usefulness, perceived ease of use, and barriers, the researcher has developed a measurement scale based on the reference from literature review and discussion with experts in the field. Table 5 shows the reliability values calculated using Cronbach's Alpha.

**Table 5: Reliability Statistics of the Measurement Scale**

| Sl.No | Variables             | No. of items | Alpha |
|-------|-----------------------|--------------|-------|
| 1.    | Perceived usefulness  | 7            | 0.750 |
| 2.    | Perceived ease of use | 6            | 0.781 |
| 3.    | Barriers              | 9            | 0.730 |

Source: Primary Data

The coefficient of reliability is used as a measure of the internal consistency or reliability of a psychometric test score. A value greater than .7 is widely considered as a good score (Nunnally, 1978). Of the four constructs measured, all aspects have got a value beyond this threshold limit indicating a higher reliability of the measurement scales adopted for the study.

### Regression Analysis

Regression analysis was conducted to reveal how different factors- Perceived Usefulness and Perceived Ease of Use affect the degree of adoption of Renewable Energy Resources among households. The main objective of regression analysis is to explain the variation in one variable based on the variation in one or more other variable. If multiple independent variables are used to explain the variation in dependent



variable, it is called multiple regression models. The output of multiple regression analysis was used to test the following hypothesis. The degree of adoption of RER's is taken as the dependent variable and factors influencing the adoption of RER's are taken as the predicted variables.

**Table 6: Degree of Adoption and Factors Influencing the Adoption of RER's – Regression Model Summary**

| Model Summary |        |          |                   | ANOVA <sup>b</sup> |                |    |       |         |
|---------------|--------|----------|-------------------|--------------------|----------------|----|-------|---------|
| Model 1       | R      | R square | Adjusted R square |                    | Sum of squares | Df | f     | P value |
|               | 0.328a | 0.107    | 0.087             | Regression         | 1.194          | 2  | 3.229 | 0.007a  |
|               |        |          |                   | Residual           | 9.929          | 87 |       |         |
|               |        |          |                   | Total              | 11.122         | 89 |       |         |

- 1. Predictors (constant): Perceived Usefulness, Perceived Ease of Use**
- 2. Dependent variable: Degree of adoption**

Model 1 shows that degree of adoption significantly depends on the factors influencing the adoption of Renewable Energy Resources that is Perceived Usefulness and Perceived Ease of Use. 8.7 percent of the variation in the degree of adoption is explained by Perceived Usefulness and Perceived Ease of Use.

R square is the percent of the variance in the dependent explained uniquely or jointly by the independence the R square and adjusted R square will be close when used for the case of little independence. Table 6 shows that R square and adjusted R square is very close. Gujarati (2006) recommends that it is a good practice to find the adjusted R square value because it explicitly takes in to account the number of variables included in the model hence the adjusted R square value is used for interpreting the result.

**Table 7: Degree of Adoption and Factors influencing the adoption of RER's – Regression Coefficients**

| Model 1               | Unstandardized coefficient |            | Standardized coefficient | F     | P Value |
|-----------------------|----------------------------|------------|--------------------------|-------|---------|
|                       | B                          | Std. Error | Beta                     |       |         |
| (constant)            | 0.955                      | 0.297      |                          | 3.212 | 0.002   |
| Perceived Usefulness  | 0.081                      | 0.073      | 0.121                    | 1.113 | 0.269   |
| Perceived Ease of Use | 0.153                      | 0.063      | 0.263                    | 2.410 | 0.018   |

The two independent variables viz., Perceived usefulness (p= .269), Perceived Ease of Use (.018) are statistically significant at 5 percent significance level. The Beta coefficient gives a measure of the contribution of each variable to the model. Higher the Beta value, the greater is the effect of independent variable on the dependent variable. Perceived Ease of Use has the highest Beta coefficient (.153) and therefore it has greater effect in the adoption of RER's followed by Perceived Usefulness (.081).

### Findings

1. The prominent aspect of Perceived Usefulness shows a mean score mean score of 4.03 for RER's are useful.
2. The prominent aspect of Perceived Ease of Use shows a mean score of 4.13 for RER's are user friendly.



3. The major barrier that the adopters face while using RER's were 'lack of information' regarding renewable energy resources ( $m= 3.70$ ,  $SD=0.905$ ). The next major barriers are 'high transaction costs' ( $m=3.47$ ,  $SD=0.622$ ), 'difficulty in changing existing systems' ( $m=3.42$ ,  $SD=0.793$ ) 'high initial start- up cost' ( $m=3.27$ ,  $SD= 0.909$ ) and 'inadequate work force' ( $m=3.19$ ,  $SD=0.886$ ).
4. Regression analysis brought out two significant predictors of adoption of RER's viz., Perceived Usefulness and Perceived Ease of Use. The result shows that the degree of adoption significantly depends on the factors influencing the adoption of Renewable Energy Resources. 8.7 percent of the variation in the degree of adoption is explained by Perceived Usefulness and Perceived Ease of Use.
5. Regression Coefficient analysis shows that the two independent variables viz., Perceived usefulness ( $p= .269$ ), Perceived Ease of Use ( $.018$ ) are statistically significant at 5 percent significance level. The Beta coefficient gives a measure of the contribution of each variable to the model. Perceived Ease of Use has the highest Beta coefficient ( $.153$ ) and therefore it has greater effect in the adoption of RER's followed by Perceived Usefulness ( $.081$ ).

### Conclusion

In the study brought down interesting findings relating to the aspects of different sources of information information, factors influencing, barriers and degree of adoption of Renewable Energy Resources. We identified that finding, encouraging and motivating consumers of the renewable energy resources is not an easy proposition. But there is a wide scope for the adoption of RER's in Kottayam district of Kerala for the public. Those respondents who adopt these resources completely understand the uses and benefits of these resources and also accept the changes that are required in the in today's world but often most consumers forget to accept these changes because of the lack of information regarding RER's. The future research may test and verify the findings of this study through a large scale analysis. The investigation on the potential consumers of these resources who have already adopted these resources may provide further useful insights.

### Reference

1. Alan Noguee, Steven Clemmer, Bentham Paulos, Brent Haddad (1999). From Power Solutions, 7 ways to switch America to Renewable Electricity.
2. Antonia V. Herzog, Timothy E. Lipman, Daniel M. Kammen (2003). Renewable energy resources: Encyclopedia Of Life Support Systems.
3. National Renewable Energy Laboratory, a Department of Energy U.S (DOE) national laboratory. Energy Efficiency and Renewable Energy: Renewable Energy- An Overview.
4. O'Mahony, Michael (1986). Sensory Evaluation of Food: Statistical Methods and Procedures. CRC Press.
5. Prof. Ralph E H Sims. Renewable Energy Potential.
6. R. Margolis and J. Zuboy (2006). Nontechnical Barriers to Solar Energy Use: Review of Recent Literature.
7. Ravi Soparkar. (2008). Future Perspectives for Renewable Energy in India.
8. Renewable Energy and Sustainable Construction Study. (2010). Teignbridge District Council.
9. Robert Wimmer and Dr. Hannes Hohensinner. (2005). S-HOUSE – sustainable building demonstrated by a passive house made of renewable resources.
10. Ron Pernick, Clint wilder, Trevor Winny. (2013). Clean energy trends.
11. RuchaKorhale. Renewable Energy Sources- Policies of India.